

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

TIC FILE COPY

STUDIES OF SUALL MINLES LOVELENT PATTERNS
USING SATELLITE AND ACOUSTIC TOMED ARRAY TECHNOLOGY

FIML REPORT

William E. Evans Hubbs-Sea World Research Institute 1700 South Shores Road San Diego, Ch. 92109

Nork Unit No: NR 104-157 Contract No: N00014-82-C-0298

Sponsored by:

Office of Naval Research Department of the Navy 200 N. Quincy Street Arlington, VA 22217

E/MIRI Technical Report Lo. 84-166



June 1984

This document has been approved for public release and sule; its distribution is unlimited.

84 06 22 001

STUDIES OF SIMIL WIMLES HOVERENT PATTERNS USING SATELLINE AND ACOUSTIC TO ED ARRAY TECHNOLOGY

OBJECTIVES

The primary objective of this study was to design and evaluate a Wood-Ivey Systems, PTT model 165 ARCOS satellite transmitter for housing in a package suitable for mounting on a small occurred whale for study of its long-term movement patterns.

AESTRACT

The transmitter purchased last year (Mood-Ivey Systems, PTT Hodel 165) has been received and designing has commenced on a compatible antenna system. Standard antennas available for use with this transmitter are too bulky for utilization in this unique program. A small turnstile antenna (see Attachment 1) has been proposed by our consulting engineer as an alternative to the standard antennas available. Final design is underway at this time.

The previously fabricated pilot whale saddles are being modified for use on a mid-size Killer Whale. Our present BLFS permit allows for the collecting and tagging of Killer Wahles in Couthern Alaska. A mounting harness with time-delay release is being designed for use on a Killer Whale.

Liaison has been established with Sea World's Animal Care Department and initial planning for harness and transmitter testing has been approved. This will allow for laboratory testing of the system on a small Killer Whale under controlled conditions.

PLAIS FOR THE FUTURE

Design of the transmitter and harness system should be completed by the end of 1984. Fabrication will be started during the first half of 1985 with dry and wet bench testing commencing around April 1985. Final testing will be completed by June with field experimentation occurring during July-August 1985.

Work beyond this reporting date will be accomplished without further cost to the contractor. Reports of the advances in this project will be documented in the appropriate literature.

Acces	sion Fo	r		7	
NTIS DTIC :	GRA&I				
	ibution				
Avai	labilit			4	
Dist	Avail Spec	-	r		
A1				Ozia	3
					•




FIGURE 1

RELATIVE RADIATION PATTERN OF A QUARTER WAVE MONOPOLE AROVE A LARGE GROUND PLANE





FIGURE Z

BASIC TURNSTILE AFTERNA

TOP VIEW



SIDE

FIGURE 3

FRACTICAL TURNSTILE

VILLENNY




FIGURE 4

SYSTEM BLOCK DIAGRAM




FIGURE 5

TURNSTILE ANTENNA

PAPIATION FATTERN

(INTENSITY VE ELEVATION MIGGE)

END

FILMED

10-84

DTIC